Cold room dehumidifier



Product data sheet

Product category	Dehumidifiers cold room
Brand	Qlima
Model	DD 808
Colour	White
EAN code	8713508793054

Technical specifications

Dehumidifying capacity	l/24 h	8
Power consumption	W	610
Power supply	V/Hz/Ph	220 - 240~ / 50/60 / 1
Current (nom.)	Α	2,65
Airflow	m³/h	180
For rooms up to	m³	50 - 75
Capacity water tank	I	2
Operating range	°C	1~35
Included filters	type	Sheet
Sound pressure level	dB(A)	< 48
Fan speeds	positions	3
Control		electronic
Auto restart		Yes
Dimensions (w x d x h)	mm	358 x 213 x 537
Net. weight	kg	9,0
Protection class		IPX0
Warranty	year	2

All data is measured in accordance with applicable EU specified standards at the time of production. To be used for indicative purposes only.

CE 2





W x D x H = 41.3 x 26.8 x 61.6 cm



Gross weight 10 kg

Package content

Dehumidifier, Drainage tube, User manual

Accessories (to order)

Description		EAN code



DD 808

Cold room dehumidifier



Perfect performance in cold rooms



Permanent water drain function



1 layer filter



Timer function



Hygrometer



Removable water reservoir



Built-in display

Excellent performance with low temperature ambient air, combined with a wide operating range: The DD 208 has an operating range of 1 to 35 °C. Thanks to the power of its technology, the dehumidifier displays above-average performance with ambient air at low temperatures (see graphic). Because a heater is included, even more moisture is extracted from the air.

Automatic switch off: When the water container is full, a LED light will light up. The dehumidifier will automatically switch off.

Swing function air outlet: The air outlet is positioned on the upper part which is equipped with a movable flap (up / down). In this setup, the air spreads evenly and is particularly useful for drying laundry. The function 'Swing' can also be deactivated.

Back-up system and auto re-start: In the event of a power failure, the unit will remember the settings before power failure.

Environmental friendly: This dehumidifier operates without compressor or refrigerant. In addition, it has no need for an antifreeze function.

Timer function: Max. 8 hours. The unit stops automatically when selected time has passed.

Hygrostat: The humidity can be regulated via an adjustable hygrostat.

Hygrometer: The unit is equipped with a hygrometer, which indicates the relative humidity in the room.